



supplier
Info

No. Supplier:	727555
Supplier:	FORESTON TRADING PTE. LTD
Family:	Battery Chargers
Country (of origin):	China

BARCODES-APR-20
CARTON-AUG-18
BLIST-JAN-11
EASY-JAN-11
GRAVITY-APR-18
THICK-JAN-11
EMPTYSPACES JAN-23

46043 CA-RE-7
46044 CA-RE-8

APPROVED:
Karla Sandoval



reviews

[illegible]

ARTWORK

A)

FRONT

BACK



B)




VERY STRONG CARDBOARD MUST BE USED AS IN THE SAMPLE. USE U.V. LACQUERS FINISH.
IMPORTANT: The materials must match the Pantone colors AFTER the requested finish is applied.


TECHNICAL DATA	Packaging: BLISTER HFDB	<table><tr><td>C</td><td>M</td><td>Y</td><td>K</td></tr><tr><td>■</td><td>■</td><td>■</td><td>■</td></tr></table>	C	M	Y	K	■	■	■	■	INKS & die cuts	IMAGES / LINKS	ARTWORK SET Confidential Information TRUPER® SOFTWARE: Illustrator CC MAC & PC Platform compatible
	C	M	Y	K									
■	■	■	■										
Dimensions: A) 9.5 x 18.4 cm B) 8.7 x 4.5 cm	<table><tr><td>■</td><td>PANTONE Blue 072 C</td></tr><tr><td>■</td><td>PANTONE Blue 072 C 20%</td></tr><tr><td>■</td><td>PANTONE 388 C</td></tr></table>	■	PANTONE Blue 072 C	■	PANTONE Blue 072 C 20%	■	PANTONE 388 C	<table><tr><td></td><td>CUT-LINE (Do not print)</td></tr><tr><td></td><td>BENT-LINE (Do not print)</td></tr></table>		CUT-LINE (Do not print)		BENT-LINE (Do not print)	
■	PANTONE Blue 072 C												
■	PANTONE Blue 072 C 20%												
■	PANTONE 388 C												
	CUT-LINE (Do not print)												
	BENT-LINE (Do not print)												

DIE CUTTING

A)



B)



VERY IMPORTANT
The hanging hole is NOT at the right gravity center position, this is only an example, please make the necessary adjustments. Please review visual aids attached.




TECHNICAL DATA

Packaging:

Dimensions: **A) 9.5 x 18.4 cm**
B) 8.7 x 4.5 cm

INKS & die cuts



IMAGES / LINKS



ARTWORK SET
Confidential Information
TRUPER®

SOFTWARE: Illustrator CC
MAC & PC Platform compatible

PRODUCT MARKING & COLOR GUIDE

Dear Supplier, if you have recommendations of a more efficient way to put our brand on this product, please advise your Truper contact to analyze possible corrections to this document.

LOGO VOLTECK
(PLEASE DON'T DEFORM OR DISTORT IT)
PRINT IN
PANTONE BLUE 072 C



DON'T MARK CHINA ANYWHERE ON ANY PRODUCT
EXCEPT WHERE OUR ARTWORK INSTRUCTIONS INDICATE SO

LABELS & LABELS POSITIONS


LABEL

a)



DIE CUTTING

a)



Paste in
this place

b)



IMPORTANT: Label materials, adhesive and finishing must be of the **HIGHEST QUALITY AVAILABLE**

A MATTE LAMINATION FINISHING MUST BE APPLIED TO THE LABEL

The colors **must match** with the Pantone Color Guide **AFTER** the requested finishing is applied

TECHNICAL DATA

Packaging: **LABELS**

Dimensions: **a) 3 x 3 cm**
b) 1.3 x 1.1 cm



INKS & die cuts



IMAGES / LINKS


ARTWORK SET
Confidential Information
TRUPER®

SOFTWARE: Illustrator CC
MAC & PC Platform compatible


LABEL FOR BATTERY



PLEASE PASTE THE LABEL ON THE BATTERY LIKE THIS EXAMPLE



FOLD THIS PART AND MAKE SURE IT IS WELL STICKED ACCORDING TO DRAWING



PRINT ON METALLIC PAPER



PLEASE INDICATE THE EXPIRATION DATE

EXAMPLE FOR
JANUARY/2027
MONTH / YEAR

0127

PLEASE PRINT WITH BLACK INK COLOR OR MARK IN LOW RELIEF



FOIL PRINTING

PLEASE USE VERY RESISTANT GLUE FOR STICKER.

TECHNICAL DATA

Packaging: **LABEL**

Dimensions. **4.8 x 5.2 cm**

 **PANTONE 388 C**
 **PANTONE BLUE 072 C**

INKS & die cuts

 **CUT-LINE**
(Do not print)
 **PROTECTION AREA**
LINE (Do not print)

IMAGES / LINKS

ARTWORK SET
Confidential Information
TRUPER®

SOFTWARE: Illustrator CC
MAC & PC Platform compatible

INSTRUCTIVE

FRONT

BACK



46044
CA-RE-8
03-2025

Instructivo
MINI cargador de pilas


Ni-MH
Ni-Cd
AA | AAA | 9 V

Lea las siguientes instrucciones de uso cuidadosamente antes de iniciar la carga.
Tiempo de carga para pilas AA de 1 300 mAh (10 horas máx.)

Especificaciones:
Entrada: 100 V~ - 240 V~ 50 Hz - 60 Hz 60 mA máx.
Salida: 1.4 V= 120 mA
AA o AAA 120 mA x 1 ó 2
9 V= 35 mA x 1

Incluye 2 pilas de Ni-MH de 1.2 V c.c., 1 300 mAh c/u.

Instrucciones para cargar pilas.
El cargador puede cargar 2 pilas AA / AAA o 1 pila de 9 V
Níquel Hidruro Metálico (Ni-MH) y de Níquel Cadmio (Ni-Cd).



- El cargador tiene marcas de polaridad para garantizar que las pilas estén colocadas correctamente en las ranuras de carga.
- Coloque las pilas en el cargador. Despliegue la clavija abatible y conecte a una toma de corriente. Al conectar el cargador, dos LED se encenderán indicando el inicio del proceso de carga.
- Para pilas AA / AAA el cargador puede cargar 1 ó 2 pilas. Preferentemente cargue las pilas en pares.
- El cargador utiliza una corriente y tensión constante para garantizar un mayor tiempo de vida de las pilas.
- Los LEDs se apagarán cuando las pilas estén completamente cargadas.
- Desconecte el cargador y retire las pilas.

Instrucciones importantes de seguridad.

1. Guarde este instructivo.
- ⚠PELIGRO** SIGA CON CUIDADO ESTAS INSTRUCCIONES PARA REDUCIR EL RIESGO DE INCENDIO O DESCARGA ELÉCTRICA.
2. Este cargador es para uso exclusivo de pilas recargables de Níquel Cadmio y Níquel Hidruro Metálico. Tratar de recargar otro tipo de pilas puede ocasionar lesiones personales y daños al cargador de pilas.
3. No exponga el cargador a la lluvia o la humedad. Para uso exclusivo en interiores.

4. Retire el cargador del suministro eléctrico cuando no esté en uso.
5. Nunca use un cable de extensión o cualquier otro aditamento no recomendado por el fabricante. No aplicar este requisito de seguridad puede propiciar un incendio, descarga eléctrica o lesiones personales.
6. No use el cargador si ha recibido algún golpe o daño.
7. No desarme el cargador. El rearmado incorrecto propicia descargas eléctricas o incendio.
8. Desconecte el cargador del tomacorriente antes de limpiarlo o dar mantenimiento. Use un trapo húmedo para limpiar solamente la superficie. No lo sumerja en agua.
9. Este cargador no debe ser utilizado por niños o personas con condiciones de salud sin la adecuada supervisión.
Tenga cuidado que los niños no jueguen con el cargador.
10. Este cargador está diseñado para funcionar en posición vertical o en tomas de corriente de piso.
11. Antes de desechar el cargador, retire las pilas de la unidad y deséchelas de manera segura.

⚠ ADVERTENCIA



Las pilas y demás productos eléctricos de desecho no deben eliminarse con la basura doméstica.
Si es posible, depositar en puntos de reciclaje. Para asesorarse sobre el reciclado, consultar la normativa local o el establecimiento donde se adquirió el artículo.

Póliza de Garantía

Garantía. Duración: 1 año. Cobertura: piezas, componentes y mano de obra contra defectos de fabricación o funcionamiento, excepto si se usó en condiciones distintas a las normales; cuando no fue operado conforme instructivo; fue alterado o reparado por personal no autorizado por TRUPER®. Para hacer efectiva la garantía presente el producto, póliza sellada o factura o recibo o comprobante, en el establecimiento donde lo compró o en Corregidora 35, Centro, Cuauhtémoc, CDMX, 06060, donde también podrá adquirir partes, componentes, consumibles y accesorios. Incluye los gastos de transportación del producto que deriven de su cumplimiento de su red de servicio. Tel. 800-018-7873. Made in/Hecho en China. Importador TRUPER, S.A. de C.V. Parque Industrial 1, Parque Industrial Jilotepec, Jilotepec, Edo. de Méx. C.P. 54257, Tel. 761 782 9100. WWW.TRUPER.COM

Sello del establecimiento comercial.
Fecha de entrega:

IMPORTANT:
INSTRUCTIVE MUST BE PRINTED ON REGULAR
PAPER IN PANTONE BLUE 072 U INK.

TECHNICAL DATA

Packaging: **INSTRUCTIVE**

Dimensions: **10.7 x 14 cm**



PANTONE Blue 072 U

INKS & die cuts

 CUT-LINE
(Do not print)

IMAGES / LINKS

ARTWORK SET
Confidential Information
TRUPER®

SOFTWARE: Illustrator CC
MAC & PC Platform compatible

PACKAGING INSTRUCTIONS & PRODUCT POSITION



BLISTER HFDB

This is an approximated gravity center. This is only an example showing how the product must be packed.

NOTE 1: Hanging hole **MUST** be punched right in the center of gravity to ensure that when product is hung on display hook, its package stays centered and does not present inclination to either the right or the left side.

NOTE 2: This is the hanging hole style we require:




hanging hole / gravity center

Sealing edge maximum length **MUST BE 5 mm**

IMPORTANT: Please mesh the edges closer together as indicated in picture.

Spaces between meshes should be narrowed down to prevent product from coming off.

Applicable for all our products.



sealing


0.4 mm minimum thickness allowed

card



Fold the instructive sheet and put it inside the packaging.


Instructive



side view

Note 1: Semi-cut line must be part of the packaging at its back (cardboard), so the customer can easily remove the product from the blister.

BACK



Note 2: These lines should join at the hanging hole for easier display and use.

IMPORTANT: Please refer to the attached file EASY-JAN-11. pdf for more details


easy open

INNER BOX

ALL TEXTS AND GRAPHICS MUST BE PRINTED IN BLACK COLOR

(Please don't deform or distort it)

Please use KRAFT (Brown color) corrugated cardboard. White boxes will be accepted ONLY WITH TRUPER ´S PRIOR AUTHORIZATION





NOTE:

THIS INFORMATION MUST BE DIRECTLY PRINTED ON THE BOX WITH BLACK INK AND THE SHIPPING MARK (A) MUST BE PLACED ON THE **LARGEST BOX SIDES**, THE SHIPPING MARK (B) MUST BE PLACED ON THE **SHORTEST BOX SIDES**, NEVER ON UPPER OR LOWER SIDES.

IT IS ESSENTIAL THAT YOU USE STRONG CORRUGATED CARTON, DUE TO THE DAMAGE RESULTING FROM HANDLING PROCESSES BETWEEN DISTRIBUTION CENTERS AND CUSTOMERS.

TO AVOID ANY PROBLEM, OUR PRIOR APPROVAL IS ESSENTIAL BEFORE PRINTING
YOUR SAMPLE. NOT DOING SO MAY RESULT ON SHIPMENT FAILURE.

INSTRUCTIONS FOR PRINTING A AND B SHIPPING MARKS ON INNER BOXES



NOTE: Bar code must be placed on both large sides of inner box. Must be printed at 100% of real size. In case that one or both sides of the box are too small, please check visual aid **BARCODES-APR-20** attached.




IMPORTANT

The **supplier is responsible** for using a cardboard type that is **strong enough and suitable for the product design and weight characteristics**.

The cardboard must have **GOOD QUALITY** and **RESISTANCE** to avoid the packaging to be damaged during its handling, transportation and storage process.

MASTER CARTON

ALL TEXTS AND GRAPHICS MUST BE PRINTED IN BLACK COLOR (Please don't deform or distort it)
Please use KRAFT (Brown color) corrugated cardboard.White boxes will be accepted ONLY WITH TRUPER 'S PRIOR AUTHORIZATION




VOLTECK



MINI cargador de pilas
MINI battery charger
2 AA

Clave: **CA-RE-8**

CONT.: **12 JUEGOS / SETS**




27506240653831

Código

46044

INSTRUCTIONS FOR PRINTING SHIPPING MARKS ON MASTER BOXES

VARIABLE DATA



MUST BE PRINTED
ON THE FOUR SIDES OF THE
BOXES

P.O.# 8032770

PLEASE PRINT P.O. #
ONLY ON ONE SIDE
OF THE BOX

THIS IS AN EXAMPLE,
PLEASE PRINT CURRENT
P.O. INFORMATION

NOTE: THIS INFORMATION MUST BE DIRECTLY PRINTED ON THE BOX WITH BLACK INK AND BE PLACED ON THE **FOUR SIDES** OF THE BOX, NEVER ON UPPER OR LOWER SIDE.

TO AVOID ANY PROBLEM, OUR PRIOR APPROVAL IS ESSENTIAL BEFORE PRINTING YOUR SAMPLE. NOT DOING SO MAY RESULT ON SHIPMENT FAILURE.



IMPORTANT

The **supplier is responsible** for using a cardboard type that is **strong enough and suitable for the product design and weight characteristics**.
The cardboard must have **GOOD QUALITY** and **RESISTANCE** to avoid the packaging to be damaged during its handling, transportation and storage process.

TECHNICAL DATA

Packaging:

Dimensions:

C M Y K

INKS & die cuts

IMAGES / LINKS

ARTWORK SET
Confidential Information
TRUPER®

SOFTWARE: Illustrator CC
MAC & PC Platform compatible